

ECS Configuration Change Request

Page 1 of

Page(s)

1. Originator Jim Mather	2. Log Date: 8 JUN 99	3. CCR #: 99-0510	4. Rev: -	5. Tel: 301	6. Rm #: 2107a	7. Org. sed
8. Title of Change: Re-allocate MS Office 97 from AIT Systems to DAAC Production PCs.						
9. Originator Signature/Date <i>Jan Mather</i> 5/18/99		10. Class II	11. Type: CCR	12. Need Date: 6/15/99		
13. Office Manager Signature/Date <i>Andy Bellenger</i> 5/20/99		14. Category of Change: Update Baseline		15. Priority: (If "Emergency" fill in Block 28). Routine		
16. Documentation/Drawings Impacted: <i>611114D (CM)</i> <i>910-TDA-005, 910-TDA-503, 920-TDN-502, 920-TDV-502, 920-TDE-502, 920-TDG-502, 920-TDL-502</i>		17. Schedule Impact: none		18. CI(s) Affected: e0msp07, e0dip05, g0msp04, g0dip03, l0msp08, l0dip03, n0msp08, t1msp05, t1dpp02, t1sms06		
19. Release Affected: n/a		20. Date due to Customer: 6/15/99		21. Impl Date: 6/15/99		22. Estimated Cost: None
23. Source Reference: <input type="checkbox"/> NCR (attach) <input type="checkbox"/> Action Item <input type="checkbox"/> Tech Ref. <input type="checkbox"/> GSFC <input checked="" type="checkbox"/> Other: see attached mail traffic						
24. Description of Change: (use additional Sheets if necessary) Office 97 purchased for AIT systems with SoftWindows will now be installed on PCs since SoftWindows performance did not meet project requirements.						
25. Proposed Solution: (use additional sheets if necessary) Install Office 97 on PC platforms. AIT reporting functions will be completed on the PCs instead of using Softwindows on the AIT Systems. This will reduce the cost of the Office 97 procurement by reuse of currently owned license.						
26. Alternate Solution: (use additional sheets if necessary) Procure more Office 97 license.						
27. Consequences if Change(s) are not approved: (use additional sheets if necessary) Mixed office environments currently using Office 95, must be very aware of file types.						
28. Justification for Emergency (If Block 15 is "Emergency"):						
29. Site(s) Affected: <input type="checkbox"/> EDF <input type="checkbox"/> Mini-DAAC <input checked="" type="checkbox"/> VATC <input checked="" type="checkbox"/> EDC <input checked="" type="checkbox"/> GSFC <input checked="" type="checkbox"/> LaRC <input checked="" type="checkbox"/> NSIDC <input type="checkbox"/> SMC <input type="checkbox"/> AK <input type="checkbox"/> JPL <input type="checkbox"/> EOC <input type="checkbox"/> IDG Test Cell <input type="checkbox"/> Other						
30. Board Comments: <i>Update the referenced documents.</i>				31. Work Assigned To:		
32. EDF/REL2 CCB Chair (Sign/Date): <i>Mar McDonald</i> 6/16/99		33. Disposition: <u>Approved</u> A/C Disapproved Fwd/ECS Fwd/ESDIS		34. (TBD)		
35. M&O CCB Chair (Sign/Date): <i>Sally Al Jan</i> 6/16/99		36. Disposition: <u>Approved</u> A/C Disapproved Fwd/ECS Fwd/ESDIS		37. CM Manager's Closure:		
38. ECS CCB Chair (Sign/Date):		39. Disposition: Approved A/C Disapproved		40. CCR Closed Date:		

CM01 March 8, 1999

ECS/EDF/REL2 CCB

ORIGINAL

06-08-99 P02:10 IN